GOVERNMENT OF MEGHALAYA DIRECTORATE FOOD CIVIL SUPPLIES AND CONSUMER AFFAIRS: SHILLONG

NOTICE INVITING TENDER

Dated Shillong the 25th February 2015

No DSCA. 75/2012/24 : The Director of Food Civil Supplies & Consumer Affairs SEALED Quotation/Tenders from Meghalaya hereby invites authorised companies/suppliers for supply of PC Desktops and equipments. Quotations/Tenders should reach the undersigned on or before 18th March 2015.

The particulars and specification and also the terms and conditions of the Tender may be seen from this office website: http://megfcsca.gov.in

> Sd/ Director Food Civil Supplies & Consumer Affairs, Shillong

Memo. No DSCA. 75/2012/24 Copy to:-

Dated Shillong the 23rd February 2015

- The Deputy Secretary Food Civil Supplies & Consumer Affairs, Meghalaya, Shillong for information.
- SIO, NIC, Meghalaya, Shillong with a request to upload the notice and terms & conditions in the Website of this Department.
- Information Technology Department, Meghalaya, Shillong. 3
- 4 Director, Information and Public Relation, Meghalaya, Shillong with a request to publish the Notice Inviting Tenders in the leading Newspapers (one in English, Khasi and Garo).

Food Civil Supplies & Consumer Affairs, U Shillong.

Sl.					
No					
No 1.	Desktops Computers Intel Core i3-3220 (3.3 GHz, 3MB Cache or higher) Chipset – Intel 6 Series or better; Bus Architecture: 3PCI(PCI/Express) or more Memory – 4 GB 1333MHz DDR-III RAM upto 16 GB expandability Hard Drive: 500 GB Serial ATA hard disk (7200 rpm) Monitor:47cm(18.5inch) or larger TFT LED Digital color TCO-05 certified Keyboard: 104 Keys; Mouse: Optical with USB Interface, Bays: 3 Nos or above. Ports: 6 USB Ports (with at least 2 in front), 1 Serial audio ports for microphone and headphone in front. Cabinet: Mini tower; DVD Rewritable Drive: 8X or better Networking facility: 10/100/1000 on board integrated Network Port with remote booting facility system installation, remote wake up. Operating system: Latest Windows Operating System preloaded with Media and Documentation and Certificate of Authenticity.				
•	OS Certification: Latest Windows Operating System certification. Power management: Screen Blanking, Hard Disk and system Idle Mode in Power On, Set up Password, Power Supply SMPS Surge protected. Preloaded Antivirus: Norton or McAfee or e-Trust with 60 days License.				
2.	MS Office Pro Plus 2013 SINGLE OLP				
3.	UPS FOR DESKTOPS LINE INTERACTIVE UPS with AVR for single phase AC 160V to 280V input. Rated KVA: 1.0 Minimum VAH: 400				
4.	LaserJet Multi Function Printer (MFP) Print, Copy, Scan Resolution (in dpi) - Mono, 1200 x 1200, paper size- A4, Print speed in PPM (A4 size) 40 Port: 1 USB, Memory (in MB): NA, Network card 10/100: YES, Duplexing: YES.				
5.	LaserJet Printer (18 or 22PPM) Resolution (in dpi)- Mono, 600 x 600, paper size- A4, Print speed in PPM (A4 size) 18 or 22 Port:1 USB, Memory (in MB): NA, Network card 10/100: YES, Duplexing: NA.				
6.	WEB CAM: VGA sensor (640 x480 pixel) resolution at up to 30 fps, built in microphone, still image up to 1.3 MP (With 3 yr warranty)				
7.	Net working				

Terms and Conditions:

- 1. Non Refundable Court Fee Stamp of Rs. 50/- (Rupees Fifty) only should be affixed to the Sealed Tender
- 2. Earnest Money Deposit of Rs. 50,000/- (Rupees Fifty Thousand) only in the form of DD / Banker's Cheque drawn in favour of to the Director, Food Civil Supplies & Consumer Affairs Shillong
- 3. Earnest money deposited by unsuccessful Quotationers will be released after selection process is completed. Earnest money deposited by successful Quotationers will be released when work/supply done.
- 4. The following documents should be enclosed with the Tender:
 - (a) Attested copy of Up-to-date -
 - (i) Registration Certificate in form 2 Rule 18 TIN
 - (ii) Central Sales Tax Registration in Form B Rule 5 (i)
 - (iii) Clearance Certificate under MVAT Form 39
 - (iv) Other attested copies of related certificates under MVAT required under Rule.
 - (v) An updated Professional Tax.
- 5. Rates of materials supplied should be inclusive of all taxes and F.O.R to the different Districts and Subdivisional Headquarter(s) in Meghalaya.
- 6. Non Tribal Tenderers should submit attested copy of up-to-date Trading License issued by the concerned District Council
- 7. The Tenderers should enclose an Affidavit on non-judicial stamp paper of Rs. 10/- (Rupees ten) stating that they have not been blacklisted by any Central/State Govt. Departments or Central/State PSUs for the last 3 years.
- 8. In case the Tenderers furnish false information their tenders will be rejected and their EMD stands forfeited
- 9. Copy of Income Tax clearance certificate obtained from the Income Tax Department should be furnished along with the quotation
- 10. Quotationers belonging to SC/ST Community should furnish copy of SC/ST certificate issued by the competent authority
- 11. The Quotationers need to submit documentary evidence with regard to their sound financial status.
- 12. The Quotation should be superscript with the word "Quotation for the hardware procurement of the End-to-end computerisation of TPDS in Meghalaya" on the outer cover of sealed quotation addressed to the Director, Directorate of Food Civil Supplies & Consumer Affairs, Horse Shoe Building (Ground Floor) Lower Lachumiere, Shillong-793001
- 13. The tenderers should furnish experience certificate to the effect that they had executed such contract work with Government Department/Organization during the last two three years
- 14. Warranty should be for 5 years
- 15. Successful Tenderers/Suppliers/bidders will have to provide necessary service against materials supplied under warranty period.
- 16. Rates should be valid for one year from the date of issue of the Tender
- 17. Power of attorney / authority letter in favour of the official signing the tender.

- 18. The tenderers should have OEM certificates from the manufacturers
- 19. The authorized dealers/companies should have a functional Service Centre in Shillong with service engineers along with the contact details of the service centres. The Service Engineers should provide services to any part of the State within 24 hours of receipt of complaint.
- 20. The maximum response time for repairing the system shall not be more than 24 hours within Shillong and 48 hours for the rest of the state.
- 21. The response time for any complain should be clearly mentioned and any replacement needed for any computer items should be within 15 days.
- 22. The tenderers shall submit the tender in 2 sealed covers marked as cover I & II. The 1st cover should contain the Earnest Money as indicated above. The 2nd cover should contain the tender documents as per Annexure-II. The opening of the Tender shall be strictly as per the NIT terms & conditions
- 23. All tenderers / bidders should complete the checklist as at Annexure-I and submit along with the tender documents
- 24. Rates should be quoted both in figures and words inclusive of tax etc. Overwriting and erased against rate, words will be rejected
- 25. Department reserves the right to make any changes in the terms and conditions of the tender

26. Payment Terms:

80% Payment shall be made on receipt of goods by consignee. For claiming this payment the following documents are to be submitted to the paying authority:

- (a) Invoice
- (b) Delivery Challan/ Bills in duplicate duly pre-receipted
- (c) Supplier certificate for dispatch
- (d) Consignee receipt

The remaining amount of payment (20 %) shall be made after the submission of the complete installation report

27. Delivery:

- a) Delivery of the goods and documents shall be made by the Supplier in accordance with the terms specified by the Purchaser in its Schedule of Requirements and special conditions of contract and the goods shall remain at the risk of the Supplier until delivery has been completed.
- b) The delivery of the equipment shall be to the ultimate consignee as given in the purchase order.
- c) No transportation charges, whatsoever shall be paid by the Department for any type of services
- d) The delivery of goods shall commence within 45 days of the placement of order

Director,

Food, Civil Supplies and Consumer Affairs, Meghalaya, Shillong.

Configurations/Specifications for desktop*

Processor – i3-3220 (3.3 GHz, 3MB Cache or higher Memory – 4 GB 1333MHz DDR-III RAM upto 16 GB expandability Hard Drive - Serial ATA hard disk (7200 rpm) $500~\mathrm{GB}$

Integrated HD Graphics (Either Intel or ATI)- Intel H61/AMD 980G processor/Chipset or higher

Operating system	Genuine Latest Windows OS
Processor	 Number of Cores Speed Cache Memory Voltage Range Manufacturing Process Base Frequency 2 Cores 3.3 GHz or higher 0.825 V - 1.475 V 32 nm 3400 MHz
Chipset	 Socket supporting either Intel H61/AMD 980G processor/Chipset or higher Dual Graphics Technology
Memory	4 GB 1333MHz DDR-III RAM upto 16 GB expandability
Hard drive	500 GB Serial ATA hard disk (7200 rpm)
Optical drive	Optical drive options: DVD ROM Rewritable
Graphics	Integrated HD Graphics (Either Intel or ATI)
Audio	Embedded high-definition audio
Networking &	Gigabit Ethernet
I/O ports	Front I/O ports: TWO USB 2.0 ports Audio and Microphone jacks Rear I/O ports: Four USB 2.0 ports PS/2 keyboard and mouse ports Audio ports Ethernet (RJ-45) port VGA port HDMI Parallel port Scrial port
I/O expansion	 PCI Express® 2.0 x16 slot One Express® 2.0 x1 slot One PCI v2.3 (5 V) slots
Power supply	300 W/250 W
System compliance	PC 2001
Peripherals/Others	 104 Keys OEM Keyboard with rupee sign engraved OEM Optical Scroll Mouse with Mouse pad SFF chassis with volume less than 13.5 litres and with suitable power supply TCO05 Certified 17" or higher TFT LCD Monitor (5 ms or better response time) All necessary Plug-ns/utilities and driver software, bundled in CD/DVD Media
Anti Virus	Warranty: at least 1 year license

Others*

Item	Details/Specifications
Networking	 Cat6 UTP Cable (mtr) CAT6/UTP Patch Cord (2m) I/O Box (SMB) Casing (30 x 25 mm) (mtr) Fixing of I/O Fixing of PVC Casing (30 x 25 mm) (mtr) Laying of CAT6 UTP cable Switch (8-port, 10/100 Mbps) (1 year warranty)
MS Office	MsOfficeProPlus 2013 SNGL OLP
UPS system	 500 VA Line Interactive UPS with AVR for single phase AC 160V to 280V input 60 minute battery backup on full load (0.65 PF) 5 years warranty for UPS and 1yr warranty on Battery
Web Camera	 Sensor: Native VGA Sensor 2MP or better Microphone: Integrated Video frame rate: 30 fps or better Connectivity: USB Still image: up to 1.3 MP Warranty: 5 years
Printer	 A4 Mono 18/22 PPM 600 x 600 dpi (1200 dpi effective output) 2/8 MB Memory USB Port with 5.000/8,000 pages duty cycle 3 years warranty
& Q	MFP Printer / Copier / Scan A4 Mono 40 PPM 1200 x 1200 dpi 75.000 pages per month duty cycle 1 GB Memory Automatic Duplexer USB & Network Interface Flatbed scanner with 50 sheets ADF Tray 8 inch touch screen panel 3 years warranty

 $[*]According \ to \ specifications \ of \ DGS\&D/NICSI \ rates/specifications$

Annexure – I

(A) Technical Statement

SI No	Item Description	Compliance (Yes/No)
1.	Desktops Computers	(* * * * * * * * * * * * * * * * * * *
	Intel Core i3-3220 (3.3 GHz, 3MB Cache or higher)	
	Chipset – Intel 6 Series or better;	
	Bus Architecture: 3PCI(PCI/Express) or more	}
	Memory – 4 GB 1333MHz DDR-III RAM upto16 GB	
	expandability	
	Hard Drive: 500 GB Serial ATA hard disk (7200 rpm)	
	Monitor:47cm(18.5inch) or larger TFT LED Digital color TCO-	
	05 certified	
	Keyboard: 104 Keys; Mouse: Optical with USB Interface, Bays: 3	
	Nos or above.	
	Ports: 6 USB Ports (with at least 2 in front), 1 Serial audio ports	
	for microphone and headphone in front.	
	Cabinet: Mini tower; DVD Rewritable Drive: 8X or better	
	Networking facility: 10/100/1000 on board integrated Network	
	Port with remote booting facility system installation, remote wake	
	up.	
	Operating system: Latest Windows OS preloaded with Media and	
	Documentation and Certificate of Authenticity.	
\$	OS Certification: Latest Windows OS certification.	
	Power management: Screen Blanking, Hard Disk and system Idle	
	Mode in Power On, Set up Password, Power Supply SMPS Surge	
	protected.	
	Preloaded Antivirus: Norton or McAfee or e-Trust with 60 days	
	License	
2.	Web Camera: VGA sensor (640 x480 pixel) resolution at up to 30	
	fps, built in microphone, still image up to 1.3 MP (With 5 yr	
	warranty)	
3.	LaserJet Printer: A4, Mono, 22 PPM, 600 x 600 dpi (1200 dpi	
	effective output), 8 MB Memory, USB Port with 8,000 pages duty	
	cycle (With 3 yr warranty)	
4.	LaserJet Printer: A4, Mono, 18 PPM, 600 x 600 dpi (1200 dpi	
	effective output), 2 MB Memory, USB Port with 5,000 pages duty	
	cycle (With 3 yr warranty)	
5.	MS Office Pro Plus 2013 SINGLE OLP	
6.	500VA Line Interactive UPS system with 60 minute battery	
	backup on full load (0.65 PF) (5 years warranty for UPS and 1yr	
	warranty on Battery)	
6 7.	LaserJet MFP Printer / Copier / Scan: A4, Mono, 40 PPM, 1200	
	x 1200 dpi, 75,000 pages per month duty cycle, 1 GB Memory,	
	Automatic Duplexer, USB & Network Interface, Flatbed scanner	
	with 50 sheets ADF Tray; 8 inch touch screen panel (With 3 yr	
	warranty)	

(B) PRICE SCHEDULE

Sl No	Item	Details	Quantity	Rates per Unit (inclusive of all taxes & levies in figure)	Total cost (inclusive of all taxes & levies in figure)
<u></u>					

Please quote total cost in figure and words (inclusive of all taxes and levies)

Agrexure – II

	TECHNICA	L SPECIFICATION AND SCHEDULE OF REQUIRMENTS	
SI	Item	Details	Quantity to
No			be purchased
1	Desktop-	Intel Core i3-3220 (3.3 GHz, 3MB Cache or higher)	[
	Windows	Chipset – Intel 6 Series or better;	
		Bus Architecture: 3PCI(PCI/Express) or more	
		Memory – 4 GB 1333MHz DDR-III RAM upto 16 GB expandability Hard Drive: 500 GB Serial ATA hard disk (7200 rpm)	
-		Monitor: 47cm(18.5inch) or larger TFT LED Digital color TCO-05	
		certified	
		Keyboard: 104 Keys; Mouse: Optical with USB Interface, Bays: 3 Nos or	
1		above.	
		Ports: 6 USB Ports (with at least 2 in front), 1 Serial audio port for	
		microphone and headphone in front.	
		Cabinet: Mini tower; DVD Rewritable Drive: 8X or better Networking facility: 10/100/1000 on board integrated Network Port with	
		remote booting facility system installation, remote wake up.	
		Operating system: Latest Windows OS preloaded with Media and	
		Documentation and Certificate of Authenticity.	
		OS Certification: Latest Windows OS certification.	}
		Power management: Screen Blanking, Hard Disk and system Idle Mode	
		in Power On, Set up Password, Power Supply SMPS Surge protected.	
8	•	Preloaded Antivirus: Norton or McAfee or e-Trust with 60 days License	
2	Web	VGA sensor (640 x480 pixel) resolution at up to 30 fps, built in	
	Camera	microphone, still image up to 1.3 MP (With 5 yr warranty)	
3	LaserJet	A4, Mono, 22 PPM, 600 x 600 dpi (1200 dpi effective output),	
1	Printer	8 MB Memory, USB Port with 8,000 pages duty cycle (With 3	}
		yr warranty)	
4	LaserJet	A4, Mono, 18 PPM, 600 x 600 dpi (1200 dpi effective output), 2 MB	
	Printer	Memory, USB Port with 5,000 pages duty cycle (With 3 yr warranty)	
5		MS Office Pro Plus 2013 SINGLE OLP	
6	UPS	500VA Line Interactive UPS system with 60 minute battery backup on full	
		load (0.65 PF) (5 years warranty for UPS and 1yr warranty on Battery)	
7	LaserJet	A4, Mono, 40 PPM, 1200 x 1200 dpi, 75,000 pages per month duty cycle, 1	}
	MFP	GB Memory, Automatic Duplexer, USB & Network Interface, Flatbed	
	Printer /	scanner with 50 sheets ADF Tray; 8 inch touch screen panel (With 3 yr warranty)	
	Copier /	warranty)	
	Scan		
8	Networking	Cat6 UTP Cable (mtr)	
	_	CAT6/UTP Patch Cord (2m)	
<u></u>		I/O Box (SMB)	
	<u> </u>	Casing (30 x 25 mm) (mtr)	
	•	Fixing of I/O Box (no)	
	-	Fixing of PVC Casing (30 x 25 mm) (mtr)	
		Laying of CAT6 UTP cable (mtr)	
	<u>L</u>	Switch (8-port, 10/100 Mbps) (1 year warranty)	